

CERTIFICATE

Certificate holder **GUTEX Holzfaserplattenwerk
H. Henselmann GmbH + Co KG
Gutenberg 5
79761 Waldshut-Tiengen
GERMANY**

Production facility Waldshut-Tiengen

Product Thermal insulation products for buildings

Type, Model Thermoflex
Wood-fibre thermal insulation board

Testing basis DIN EN 13171:2015-04
DIN EN 13172:2012-04
European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)

Mark of conformity




Registration No. 011-7D085

Valid until 2020-06-30

Nutzungsrecht This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

2018-06-21


Dipl.-Phys. Carlo Seiser
Deputy Head of Certification Body



ANNEX

Page 1 of 1

| | |
|---|---|
| Certificate | 011-7D085 dated 2018-06-21 |
| Technical Data | Designation code in accordance with DIN EN 13171: WF-EN 13171-T3-TR1-MU2-AFr5 Declared thermal conductivity: 0,036 W/(m*K) Reaction to fire: Euroclasse E Thickness: 40 mm - 240 mm |
| Testing laboratory/ Inspection body | Materialprüfungsanstalt Universität Stuttgart Pfaffenwaldring 32 70569 Stuttgart GERMANY |
| Test report(s) | 90003345/5/Schr dated 2017-04-24 9003345/17/Schr dated 2017-04-26 |
| Surveillance contract/ License agreement | 7000386 dated 2017-01-26 |

