EN

GUTEX WOOD FIBRE INSULATION PRODUCT OVERVIEW AND SYSTEMS AND ACCESSORY PRICE LIST

Valid as of September 2021 | Edition 12/2021



Retail

GUTEX®
NATURALLY MADE FROM WOOD

CONTENT

1. Product Overview ..... P. 4

1.1 Roofs ..... P. 4

GUTEX Ultratherm ..... P. 4

GUTEX Multiplex-top ..... P. 4

GUTEX Multitherm ..... P. 5

GUTEX Thermosafe ..... P. 5

GUTEX Thermosafe-homogen ..... P. 6

GUTEX Thermoflat ..... P. 6

GUTEX Thermoflex ..... P. 7

GUTEX Thermofibre ..... P. 7

1.2 Exterior walls ..... P. 8

GUTEX Thermowall ..... P. 8

GUTEX Thermowall NF ..... P. 8

GUTEX Thermowall-gf ..... P. 9

GUTEX Thermowall-L ..... P. 9

GUTEX Thermowall Durio ..... P. 9

GUTEX Multitherm ..... P. 10

GUTEX Pyroresist wall ..... P. 10

GUTEX Thermosafe ..... P. 10

GUTEX Thermosafe-homogen ..... P. 11

GUTEX Thermoflex ..... P. 11

GUTEX Thermofibre ..... P. 12

1.3 Interior ..... P. 13

GUTEX Thermoroom ..... P. 13

GUTEX Thermoinstal ..... P. 13

GUTEX Thermosafe-wd ..... P. 14

GUTEX Thermosafe-nf ..... P. 14

GUTEX Thermofloor ..... P. 14

GUTEX Happy Step ..... P. 15

GUTEX Standard-n ..... P. 15

GUTEX Thermosafe ..... P. 15

GUTEX Thermosafe-homogen ..... P. 16

GUTEX Thermoflex ..... P. 16

GUTEX Thermofibre ..... P. 17

2. Price List – Systems and Accessories ..... P. 18
2.1 Thermowall ETICS ..... P. 18
GUTEX Thermowall-gf Starterplatte (start board) ..... P. 18
GUTEX Thermowall-gf Starterplatte (start board w. rebate) ..... P. 18
Thermowall ETICS accessories ..... P. 19
Thermowall ETICS render components ..... P. 24
2.2 Durio GUTEX system for unique facade design ..... P. 26
Durio system components ..... P. 26
GUTEX Durio Schottplatte/partition ..... P. 27
Durio render components ..... P. 28
2.3 Implio window integration system ..... P. 29
Implio P Laibungs- und Keilplatten für Putzfassaden/
reveal/jamb and ledge insulation for rendered walls ..... P. 29
Implio P02 Laibungs- und Keilplatten für Putzfassaden/
reveal/jamb and ledge insulation for rendered walls ..... P. 30
Implio P und P02 Raffstore-/Rollladenkasten/exterior blinds
and roller shutter housings for rendered walls or rainscreens ... P. 31
Implio P Sockellaibungsplatte/
foundation-level reveal/jamb insulation ..... P. 32
Implio P system components ..... P. 32
Implio system components ..... P. 33
Implio window ledge parts ..... P. 34
Implio F Keilplatten mit selbstklebenden Folienüberstand/
ledge insulation with dhesive overlapping moisture barrier ..... P. 35
Implio F system components ..... P. 35
Rivestio System ..... P. 36
2.4 Exhibition models ..... P. 37
Display ..... P. 37
Heat insulation demonstration boxes ..... P. 37
Implio system demonstration boxes ..... P. 37
Acoustic insulation demonstration boxes ..... P. 37
Durio 3D model ..... P. 37
Implio 3D model ..... P. 37
2.5 Miscellaneous ..... P. 38
Accessories – GUTEX Ultratherm, GUTEX Multiplex-top,
GUTEX Multitherm and GUTEX Thermosafe-homogen ..... P. 38
Accessories – GUTEX Thermoroom ..... P. 38
Accessories – GUTEX Thermofibre ..... P. 39
Accessories – GUTEX Thermoflex ..... P. 39
Accessories – GUTEX Thermsafe-nf ..... P. 39

1. PRODUCT OVERVIEW

1.1 Roofs

GUTEX Ultratherm

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
60 x 178	Tongue and groove joints (all) λ_D (W/mK) = 0.042 ρ (kg/m³) = ~180 Compressive strg. (kPa) = 150 Tensile strg. (kPa) = 20	50•	42	44.86	430
		60	36	38.44	445
		80	26	27.77	430
		100	20	21.36	430
		120	18	19.22	430
		140	14	14.95	400
		160	12	12.82	400

• *Product is currently unavailable. Please contact us for alternative options.*

GUTEX Multiplex-top

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
75 x 250	Tongue and groove joints (all) λ_D (W/mK) = 0.044 ρ (kg/m³) = ~220 Compressive strg. (kPa) = 200 Tensile strg. (kPa) = 30	22•	45	84.37	430
		28•	35	65.62	430
		35	30	56.25	430

• *Product is currently unavailable. Please contact us for alternative options.*

Accessories – GUTEX Ultratherm, GUTEX Multiplex-top, GUTEX Multitherm, GUTEX Thermosafe-homogen and GUTEX Thermosafe

Product	For prices, see GUTEX System and Accessories Price List			
	GUTEX Klebeband joint tape for joints Primer coat required	15 cm wide	30-m roll	2 rolls/box
	GUTEX Voranstrich/primer for GUTEX Klebeband	Required quantity: 1 bottle/roll	1 l	6 bottles/box
	GUTEX Sprühprimer/ spray primer for GUTEX Klebeband	Required quantity: 3 cans/roll	500 ml/can	6 cans/box
	GUTEX Abdichtmasse/caulking (for standard dispensers)	Required quantity: Approx. 30 ml/lm	310-ml cartridge	12 cartridges/box

GUTEX Multitherm

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
60 x 176	Tongue and groove joints (all)	40	54	57.02	350
	λ_D (W/mK) = 0.040 ρ (kg/m³) = ~140 Compressive strg. (kPa) = 70 Tensile strg. (kPa) = 7.5	60	36	38.02	350
		80	26	27.46	350
		100	22	23.23	350
		120	18	19.00	350
		140	16	16.89	350
		160	14	14.78	350
		180	12	12.67	350
Accessories P. 4		200	10	10.56	350

GUTEX Thermosafe

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
62.5 x 120	Butted joints (all)	40	112	84.00	570
	λ_D (W/mK) = 0.038 ρ (kg/m³) = ~160 Compressive strg. (kPa) = 50	60	68	51.00	520
		80	56	42.00	570
		100	42	31.50	520
		120	36	27.00	540
Accessories P. 4					

GUTEX Thermosafe-homogen

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
62.5 x 120	Butted joints (all) λ_D (W/mK) = 0.038 ρ (kg/m³) = ~110 Compressive strg. (kPa) = 50 Tensive strg. (kPa) = 5	40•	112	84.00	430
		60•	70	52.50	390
		80•	56	42.00	390
		100•	42	31.50	390
		120•	36	27.00	390
62.5 x 120	Rebate joints (all)	140•	32	24.00	390
		160•	28	21.00	390
		180•	24	18.00	390
		200•	22	16.50	390
		220•	20	15.00	390
		240•	18	13.50	390

Accessories P. 4

• *Product is currently unavailable. Please contact us for alternative options.*

GUTEX Thermoflat

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
60 x 123	Rebate joints (all) λ_D (W/mK) = 0.040 ρ (kg/m³) = ~140 Compressive strg. (kPa) = 70 Tensive strg. (kPa) = 7.5	100•	44	32.47	490
		120•	36	26.57	490
		140•	32	23.62	490
		160•	28	20.66	490

• *Product is currently unavailable. Please contact us for alternative options.*

GUTEX Thermoflex

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
57.5 x 135	Package includes 12 boards	30	144	111.78	200
	Package includes 8 boards	40	112	86.94	200
	Package includes 9 boards	50	90	69.86	200
	Package includes 8 boards	60	80	62.10	200
	Package includes 6 boards	80	60	46.57	200
	Package includes 4 boards	100	48	37.26	200
Butted joints (all)	Package includes 4 boards	120	40	31.05	200
λ_D (W/mK) = 0.036 ρ (kg/m³) = ~50	Package includes 4 boards	140	32	24.84	200
	Package includes 3 boards	160	30	23.28	200
	Package includes 3 boards	180	24	18.63	200
	Package includes 2 boards	200	24	18.63	200
	Package includes 2 boards	220	20	15.53	200
	Package includes 2 boards	240	20	15.53	200

GUTEX Thermoflex accessories

Product		
	Dämmstoffmesser incl. Schneideschutz/ insulation knife with sheath	For prices, see GUTEX System and Accessories Price List

GUTEX Thermofibre

Package size (LxWxH) (cm)		Bale Weight	Bales/ Pal.	Weight kg/Pal.
80 x 40 x 33	Approval ETA-12/0181 (only available by the full pallet, 315 kg/pallet) λ_D (W/mK) = 0.038 ρ unenclosed (kg/m³) = ~25–30 ρ enclosed (cavities) (kg/m³) = ~29–45	15 kg	21	330
	GUTEX Thermofibre 18 loose bales	Large bales – 18 loose bales, 15 kg each		290

Accessories – GUTEX Thermofibre

Product			
	GUTEX Lochsäge HF mit Auswurf/hole saw w. ejector	Ø 106.5 mm	For prices, see GUTEX System and Accessories Price List

1.2 Exterior walls

GUTEX Thermowall

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
59 x 125	Butted joints (all) λ_D (W/mK) = 0.040 ρ (kg/m³) = ~160 Compressive strg. (kPa) = 100 Tensile strg. (kPa) = 10 NOTE: 20 mm only for jambs/reveals	20	224	165.20	540
		40	112	82.60	540
		60	70	51.63	540
		80	56	41.30	540
60 x 83	Butted joints (all)	100	40	19.92	320
		120	32	15.94	320
		140	28	13.94	320
		160	24	11.95	320
125 x 260	Butted joints (all)	80•	12	39.00	520
		100•	9	29.25	520
		120•	8	26.00	520
125 x 280	Butted joints (all)	80	12	42.00	560
		100	9	31.50	560
		120	8	28.00	560
60 x 130	Tongue and groove on all edges Unrestricted use over framework	80	56	43.86	560
		100	44	34.32	560
		120	36	28.08	560
		140	32	24.96	560
		160	28	21.84	560

• *Product is currently unavailable. Please contact us for alternative options.*

GUTEX Thermowall NF

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
60 x 180	Tongue and groove (all edges) λ_D (W/mK) = 0.040 ρ (kg/m³) = ~160 Compressive strg. (kPa) = 100 Tensile strg. (kPa) = 10 Unrestricted use over framework NOTE: only 60 mm thickness	60	36	38.88	370

GUTEX Thermowall-gf

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
125 x 260	Butted joints (all)	40	24	78.00	610
	λ_D (W/mK) = 0.043 ρ (kg/m³) = ~185 Compressive strg. (kPa) = 150 Tensile strg. (kPa) = 20	60	15	48.75	570
125 x 280		40	24	84.00	650
		60	15	52.50	610
60 x 130	Tongue and groove on all edges	40	108	84.24	650
	Unrestricted use over framework	60	72	56.16	650
60 x 180	Tongue and groove on all edges Unrestricted use over framework	60	36	38.88	460
117.6 x 257.6	Tongue and groove on all edges Unrestricted use over framework	60	18	54.53	640

GUTEX Thermowall-L

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
59 x 125	Butted joints (all)	120	36	26.55	370
	λ_D (W/mK) = 0.038 ρ (kg/m³) = ~110 Compressive strg. (kPa) = 50 Tensile strg. (kPa) = 7.5	140	32	23.60	370
		160	28	20.65	370
		180	24	17.70	370
	For continuous insulation layers	200	22	16.22	370

GUTEX Thermowall Durio

Dimensions (cm)		Thickness (mm)	Units / Pal.	m² / Pal.	Weight Kg/Pal.
60 x 180	Tongue and groove (all edges)	70	32	34.56	410
	λ_D (W/mK) = 0.040 ρ (kg/m³) = ~160 Compressive strg. (kPa) = 100 Tensile strg. (kPa) = 10 Specially designed for render and rainscreens				

GUTEX Multitherm

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
60 x 176	Tongue and groove joints (all)	40	54	57.02	350
	λ_D (W/mK) = 0.040 ρ (kg/m³) = ~140 Compressive strg. (kPa) = 70 Tensile strg. (kPa) = 7.5	60	36	38.02	350
		80	26	27.46	350
		100	22	23.23	350
		120	18	19.00	350
		140	16	16.89	350
		160	14	14.78	350
		180	12	12.67	350
		200	10	10.56	350

Accessories P. 4

GUTEX Pyroresist wall

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
60 x 180	Tongue and groove joints (all)	60	36	38.88	460
	λ_D (W/mK) = 0.043 ρ (kg/m³) = ~190 Compressive strg. (kPa) = 150 Tensile strg. (kPa) = 10	80	26	28.08	460
		100	22	23.76	460
		120	18	19.44	460

GUTEX Thermosafe

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
62.5 x 120	Butted joints (all)	40	112	84.00	570
	λ_D (W/mK) = 0.038 ρ (kg/m³) = ~160 Compressive strg. (kPa) = 50	60	68	51.00	520
		80	56	42.00	570
		100	42	31.50	520
		120	36	27.00	540

Accessories P. 4

GUTEX Thermosafe-homogen

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
62.5 x 120	Butted joints (all) λ_D (W/mK) = 0.038 ρ (kg/m³) = ~110 Compressive strg. (kPa) = 50 Tensile strg. (kPa) = 5	40*	112	84.00	430
		60*	70	52.50	390
		80*	56	42.00	390
		100*	42	31.50	390
		120*	36	27.00	390
62.5 x 120	Rebate joints (all)	140*	32	24.00	390
		160*	28	21.00	390
		180*	24	18.00	390
		200*	22	16.50	390
		220*	20	15.00	390
		240*	18	13.50	390

Accessories P. 4

* *Product is currently unavailable. Please contact us for alternative options.*

GUTEX Thermoflex

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
57.5 x 135	Package includes 12 boards	30	144	111.78	200
	Package includes 8 boards	40	112	86.94	200
	Package includes 9 boards	50	90	69.86	200
	Package includes 8 boards	60	80	62.10	200
	Package includes 6 boards	80	60	46.57	200
	Package includes 4 boards	100	48	37.26	200
Butted joints (all) λ_D (W/mK) = 0.036 ρ (kg/m³) = ~50	Package includes 4 boards	120	40	31.05	200
	Package includes 4 boards	140	32	24.84	200
	Package includes 3 boards	160	30	23.28	200
	Package includes 3 boards	180	24	18.63	200
	Package includes 2 boards	200	24	18.63	200
	Package includes 2 boards	220	20	15.53	200
	Package includes 2 boards	240	20	15.53	200

Accessories P. 12

GUTEX Thermoflex accessories

Product		
	Dämmstoffmesser incl. Schneideschutz/ insulation knife with sheath	For prices, see GUTEX System and Accessories Price List

GUTEX Thermofibre

Package size (LxWxH) (cm)		Bale Weight	Bales/ Pal.	Weight kg/Pal.
80 x 40 x 33	Approval ETA-12/0181 (only available by the full pallet, 315 kg/pallet) λ_D (W/mK) = 0.038 ρ unenclosed (kg/m³) = ~25–30 ρ enclosed (cavities) (kg/m³) = ~29–45	15 kg	21	330
	GUTEX Thermofibre 18 loose bales	Large bales – 18 loose bales, 15 kg each		290

Accessories – GUTEX Thermofibre

Product			
	GUTEX Lochsäge HF mit Auswurf/hole saw w. ejector	Ø 106.5 mm	For prices, see GUTEX System and Accessories Price List

1.3 Interior

GUTEX Thermoroom

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
50 x 120	Butted joints (all)	20•*	96	57.60	190
	λ_D (W/mK) = 0.039 ρ (kg/m³) = ~130 Compressive strg. (kPa) = 50 Tensile strg. (kPa) = 7.5 *λ_D (W/mK) = 0.040 ρ (kg/m³) = ~150	40	48	28.80	190
		50•	36	21.60	190
		60	30	18.00	190
		80•	24	14.40	190
		100•	18	10.80	190

• *Product is currently unavailable. Please contact us for alternative options.*

GUTEX Thermoroom accessories

Product		For prices, see GUTEX System and Accessories Price List	
	Flankendämmkeil/corner insulation wedge 30 x 125 cm	Thickness tapers from 30 mm to 5 mm	8 units
	GUTEX Klebe- und Spachtelputz (Pulver)/cementitious dry base coat mortar	Adhesion: Approx. 5 kg Base (scratch) coat: approx. 6 kg	25-kg bag
	GUTEX Universal-Armierungs-gewebe/fibre reinforcement mesh Width 1.1 m		50-lm roll

GUTEX Thermoinstal

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
60 x 125	Butted joints (all)	50	84	63.00	500
	λ_D (W/mK) = 0.040 ρ (kg/m³) = ~150 Compressive strg. (kPa) = 100 Tensile strg. (kPa) = 10				

GUTEX Thermosafe-wd

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
60 x 125	Butted joints (all)	20	224	168.00	490
	λ_D (W/mK) = 0.040 ρ (kg/m³) = ~140 Compressive strg. (kPa) = 70	30	140	105.00	490
		40	112	84.00	490
		60	70	52.50	490
		80	56	42.00	490
		100	42	31.50	490
		120	36	27.00	490

GUTEX Thermosafe-nf

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
38 x 119	Tongue and groove (all edges)	40	75	33.91	210
	λ_D (W/mK) = 0.039 ρ (kg/m³) = ~130				

GUTEX Thermosafe-nf Accessories

Product		For prices, see GUTEX System and Accessories Price List	
	Verlegeleiste Fichte/joint strips (spruce) 7.4 x 200 cm	12 strips/bundle Required quantity 2.7 lm/m²	Required quantity 4 bundles/pallet

GUTEX Thermofloor

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
60 x 120	Butted joints(all)	20	180	129.60	450
	λ_D (W/mK) = 0.040 ρ (kg/m³) = ~160	30	120	86.40	450

GUTEX Happy Step

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
59 x 86	Package includes 20 boards	6	640	324.74	540

Butted joints(all)

λ_D (W/mK) = 0.046
ρ (kg/m³) = ~260
Compressive strg. (kPa) = 100

GUTEX Standard-n

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
100 x 250	Butted joints (all)	6	170	425.00	700
		8	130	325.00	700
		10	100	250.00	700
		12	80	200.00	700
		15	70	175.00	700
		18	55	137.50	700

λ_D (W/mK) = 0.046
ρ (kg/m³) = ~250
Compressive strg. (kPa) = 100

GUTEX Thermosafe

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
62.5 x 120	Butted joints (all)	40	112	84.00	570
		60	68	51.00	520
		80	56	42.00	570
		100	42	31.50	520
		120	36	27.00	540

λ_D (W/mK) = 0.038
ρ (kg/m³) = ~160
Compressive strg. (kPa) = 50

Accessories P. 4

GUTEX Thermosafe-homogen

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
62.5 x 120	Butted joints (all) λ_D (W/mK) = 0.038 ρ (kg/m³) = ~110 Compressive strg. (kPa) = 50 Tensile strg. (kPa) = 5	40•	112	84.00	430
		60•	70	52.50	390
		80•	56	42.00	390
		100•	42	31.50	390
		120•	36	27.00	390
62.5 x 120	Rebate joints (all)	140•	32	24.00	390
		160•	28	21.00	390
		180•	24	18.00	390
		200•	22	16.50	390
		220•	20	15.00	390
Accessories P. 4		240•	18	13.50	390

• *Product is currently unavailable. Please contact us for alternative options.*

GUTEX Thermoflex

Dimensions (cm)		Thickness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.
57.5 x 135	Package includes 12 boards	30	144	111.78	200
	Package includes 8 boards	40	112	86.94	200
	Package includes 9 boards	50	90	69.86	200
	Package includes 8 boards	60	80	62.10	200
	Package includes 6 boards	80	60	46.57	200
	Package includes 4 boards	100	48	37.26	200
Butted joints (all) λ_D (W/mK) = 0.036 ρ (kg/m³) = ~50	Package includes 4 boards	120	40	31.05	200
	Package includes 4 boards	140	32	24.84	200
	Package includes 3 boards	160	30	23.28	200
	Package includes 3 boards	180	24	18.63	200
	Package includes 2 boards	200	24	18.63	200
	Package includes 2 boards	220	20	15.53	200
Accessories P. 17	Package includes 2 boards	240	20	15.53	200

GUTEX Thermoflex accessories

Product		
	Dämmstoffmesser incl. Schneideschutz/ insulation knife with sheath	For prices, see GUTEX System and Accessories Price List

GUTEX Thermofibre

Package size (LxWxH) (cm)		Bale Weight	Bales/ Pal.	Weight kg/Pal.
80 x 40 x 33	Approval ETA-12/0181 (only available by the full pallet, 315 kg/pallet) λ_D (W/mK) = 0.038 ρ unenclosed (kg/m³) = ~25–30 ρ enclosed (cavities) (kg/m³) = ~29–45	15 kg	21	330
	GUTEX Thermofibre 18 loose bales	Large bales – 18 loose bales, 15 kg each		290

Accessories – GUTEX Thermofibre

Product			
	GUTEX Lochsäge HF mit Auswurf/hole saw w. ejector	Ø 106.5 mm	For prices, see GUTEX System and Accessories Price List

2. PRICE LIST – SYSTEMS AND ACCESSORIES

All prices are net prices in Euro and exclude the statutory VAT applicable at the time.

2.1 Thermowall ETICS

Suitable GUTEX wood fibre insulation

- GUTEX Thermowall
- GUTEX Thermowall-gf
- GUTEX Thermowall-L
- GUTEX Thermowall NF
- GUTEX Pyroresist wall

GUTEX Thermowall-gf Starterplatte (start board)

Dimensions (cm)		Thick-ness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.	Sold	Net EUR
59 x 130	3 sides T&G, 1 side butts λ_D (W/mK) = 0.043 ρ (kg/m³) = ~185 Compressive strg. (kPa) = 150 Tensile strg. (kPa) = 20	60	34	26.01	335	Each	**18.20**

GUTEX Thermowall-gf Starterplatte (start board w. rebate)

Dimensions (cm)		Thick-ness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.	Sold	Net EUR
40 x 130	3 sides T&G, 1 side rebate Rebate: 20 x 60 mm λ_D (W/mK) = 0.043 ρ (kg/m³) = ~185 Compressive strg. (kPa) = 150 Tensile strg. (kPa) = 20	60	51	26.52	490	Each	**13.50**

Thermowall ETICS accessories

Product		Required Quantity	Packaging Unit	Sold	Net EUR
GUTEX Winkelprofil/angle bead					
	Length: 200 cm; side width: 50 mm				
		0.5 unit/lm	15/box	Each	**7.05**
GUTEX Schlagdübel für Sockelabschlussleisten/hammer fasteners for render stop beads					
	8-mm Ø; 65 mm long; min. penetration depth is 25 mm in sound substrate				
		3 unit/lm	100/box	Each	**0.37**

Product			Required Quantity	Packaging Unit	Sold	Net EUR
GUTEX Sockelabschlussleisten universal Aluminium, 200 cm lang/GUTEX universal aluminium stop bead; 200 mm long						
	Width	43 mm	0.5 unit/lm	10/box	Each	**9.45**
	Width	63 mm	0.5 unit/lm	10/box	Each	**10.90**
	Width	83 mm	0.5 unit/lm	10/box	Each	**12.30**
	Width	103 mm	0.5 unit/lm	10/box	Each	**17.10**
	Width	123 mm	0.5 unit/lm	10/box	Each	**19.50**
	Width	143 mm	0.5 unit/lm	10/box	Each	**21.80**
	Width	163 mm	0.5 unit/lm	10/box	Each	**26.70**
	Width	183 mm	0.5 unit/lm	10/box	Each	**29.30**
	Width	203 mm	0.5 unit/lm	10/box	Each	**33.90**
GUTEX Sockelabschlussleisten, Verbinder/stop bead connectors						
				100/box	Each	**0.24**
GUTEX Sockelabschlussleisten, Eckstück/precut render stop corners						
	Width	63 mm		10/box	Each	**7.75**
	Width	83 mm		10/box	Each	**8.40**
	Width	103 mm		10/box	Each	**11.20**
GUTEX Sockelprofil/drip bead						
	Vinyl drip bead with integral fibreglass mesh for universal stop					
	Length: 240 cm			25/box	Each	**13.30**

Product				Packaging Unit	Sold	Net EUR
GUTEX Thermowall Holzschrauben incl. Teller und Stopfen/Wood screws with discs and plugs For wood substrates; Ø 6 mm; min. penetration depth is 25 mm (required quantity: approx. 6–10 screws/m²) **						
	Length	80 mm	For 40-mm thick insulation	100/box	Each	**0.62**
	Length	100 mm	For 60-mm thick insulation	100/box	Each	**0.67**
	Length	120 mm	For 80-mm thick insulation	100/box	Each	**0.78**
	Length	140 mm	For 100-mm thick insulation	100/box	Each	**0.84**
	Length	160 mm	For 120-mm thick insulation	100/box	Each	**0.97**
	Length	180 mm	For 140-mm thick insulation	100/box	Each	**1.07**
	Length	200 mm	For 160-mm thick insulation	100/box	Each	**1.17**
	Length	220 mm	For 180-mm thick insulation	100/box	Each	**1.29**
	Length	240 mm	For 200-mm thick insulation	100/box	Each	**1.45**
	Length	260 mm	For 220-mm thick insulation	100/box	Each	**1.62**
	Length	280 mm	For 240-mm thick insulation	100/box	Each	**1.86**
	Length	300 mm	For 260-mm thick insulation	100/box	Each	**2.07**
For reveals/jambs: 60-mm plastic discs						
	Plugs and screws not included. Recommended : 5 x 45 mm stainless steel screws			100/box	Each	**0.31**

*** exact requirements as per wind pressure table in GUTEX Thermowall brochure*

Product				Packaging Unit	Sold	Net EUR
GUTEX WDVS Thermoschlagdübel/thermally decoupled hammer-in fasteners for reveal/jambs, etc, for concrete, masonry brick, solid sand-lime brick, light-weight hollow concrete block, perforated brick and porous concrete, 10 mm Ø, 30 mm min. penetration depth in sound substrate (approx. 6–10 fasteners/m² **						
	Length	90 mm	For 20 and 40 mm insulation	200/box	Each	**0.62**
GUTEX WDVS Thermoschraubdübel/thermally decoupled screw fasteners for GUTEX ETICS For concrete, masonry brick, solid sand-lime brick, light-weight hollow concrete block, perforated brick and porous concrete. 8 mm Ø, 25 mm min. penetration depth in sound substrate (approx. 6–10 fasteners/m²) **						
	Length	115 mm		100/box	Each	**0.64**
	Length	135 mm		100/box	Each	**0.74**
	Length	155 mm		100/box	Each	**0.88**
	Length	175 mm		100/box	Each	**1.03**
	Length	195 mm		100/box	Each	**1.35**
	Length	215 mm		100/box	Each	**1.56**
	Length	235 mm		100/box	Each	**1.80**
	Length	255 mm		100/box	Each	**2.00**
	Length	275 mm		100/box	Each	**2.20**
	Length	295 mm		100/box	Each	**2.65**
Verschlusselemente für Thermoschraubdübel/plugs for decoupled fasteners						
	These plugs are absolutely necessary to eliminate thermal bridging via fasteners!			500/box	Each	**0.05**

*** exact requirements as per wind pressure table in GUTEX Thermowall brochure*

Product		Required Quantity	Packaging Unit	Sold	Net EUR
GUTEX Sockelaufsteckprofil/drip bead					
	Plastic drip bead with integral fibreglass mesh for universal stop				
	Length: 250 cm		25/box	Each	**5.80**
GUTEX Fugendichtband BG 1/adhesive expansion seal					
	Single-sided, self-adhesive joint sealing strip				
	Type 15 for 2–5-mm width joints	18.0 lm	10 rolls/box	Per roll	**19.70**
	Type 15 for 5–12-mm width joints	9.0 lm	10 rolls/box	Per roll	**20.40**
GUTEX Fugendicht/caulking					
	Sealant and adhesive mortar		290-ml cartridge		
		Quantity subject to application conditions	12/box	Each	**11.40**

Product		Packaging Unit	Sold	Net EUR
GUTEX Streichdichtung/brush-on sealant				
	Board sides: approx. 0.8 l/m² Board edges: approx. 2.0 l/m²	2.5-l tub	Each	**60.40**

Product		Packaging Unit	Sold	Net EUR
GUTEX Gewebe-Eckwinkel/corner bead w. mesh				
	Length: 250 cm, 10/15	50/box	Each	**4.31**
GUTEX Sturzeckwinkel/inverted angle mesh for reveal corners, e.g. windows and doors				
	Type 10: up to 10 cm reveal/jamb depth	25/box	Each	**4.91**
	Type 20: up to 20 cm reveal/jamb depth	25/box	Each	**5.23**
GUTEX Dehnfugenprofil, dunkelgrau/dark grey expansion/movement bead				
	Length 250 cm, for joints 5–25 mm wide			
	Type E for flush wall sections	25/box	Each	**55.60**
	Type V for offset wall sections	25/box	Each	**51.00**

Product		Packaging Unit	Sold	Net EUR
GUTEX Anputzleiste/plastic strip (architrave bead)				
	260-cm long adhesive plastic seal; required quantity: 0.4/lm	25/box	Each	**11.45**
GUTEX Übergangsprofil/transition stop bead				
	Transition stop bead with integral fibreglass mesh			
	Length 250 cm	10/box	Each	**31.50**
GUTEX Tropfkantenprofil/drip bead				
	Drip bead with integral fibreglass mesh; required quantity: 0.5/lm			
	Length 240 cm	25/box	Each	**10.10**
GUTEX Putzabschlussprofil, 6 mm/6-mm stop bead				
	Stop bead with integral mesh; required quantity: 0.4/lm			
	Length 240 cm	25/box	Each	**3.11**
GUTEX Universal-Armierungsgewebe/fibre reinforcement mesh				
	Width 1.1 m; required quantity: 1 lm/m²	50-lm roll	Per lm	**1.74**

NOTE

Thermowall ETICS Accessories come only in full packages.

Thermowall ETICS render components

Product		Required Quantity	Packaging Unit	Sold	Net EUR
GUTEX Klebe- und Spachtelputz (Pulver)/ cementitious dry base coat mortar			(36 bags to a pallet)		
	Adhesion	Approx. 1 kg/m²	25-kg bag	Per kg	**1.17**
	Base (scratch) coat (with 6-mm serrated trowel)	Approx. 3–4 kg/m²			
	Reinforcement	Approx. 3–4 kg/m²			
	Single reinforcement coat	Approx. 6–8 kg/m²			
GUTEX Sockelanstrich/foundation paint					
		0.5 kg/m²	18-kg tub	Per kg	**5.60**
GUTEX Isoliergrund/isolating primer					
	White	0.35 kg/m²	25-kg tub	Per kg	**3.60**
	Tinted	0.35 kg/m²	25-kg tub	Per kg	**4.47**
GUTEX Combiputz, weiß (Pulver)/white mortar for final render coat					
	1.5-mm grain (floating/scratch finish)	1.7 kg/m²	25-kg bag	Per kg	**1.47**
	2.0-mm grain (floating/scratch finish)	2.3 kg/m²	25-kg bag	Per kg	**1.47**
	3.0-mm grain (floating/scratch finish)	2.7 kg/m²	25-kg bag	Per kg	**1.47**
GUTEX Combiputz, getönt (Pulver)/tinted mortar for final render coat		Tinted w. grain size and quantity same as Combiputz, weiß			
	Other colours are possible, but specific information is required. Universal tinting (luminosity ≥20)			Per kg	**1.87**
	If possible, minimum quantity: 150 kg				

Product		Required Quantity	Packaging Unit	Sold	Net EUR
GUTEX Combi-Silikonharzputz, weiß/white w. silicone resin					
	1.5-mm grain (floating/ scratch finish)	2.3 kg/m²	25-kg tub	Per kg	**2.51**
	2.0-mm grain (floating/ scratch finish)	3.0 kg/m²	25-kg tub	Per kg	**2.51**
	3.0-mm grain (floating/ scratch finish)	4.3 kg/m²	25-kg tub	Per kg	**2.51**
GUTEX Combi-Silikonharzputz, getönt/tinted w. silicone resin		Tinted w. grain size and quantity same as Combi-Silikonharzputz, weiß			
	Other colours are possible, but specific information is required. Universal tinting (luminosity ≥20)			Per kg	**3.05**
	If possible				
GUTEX Combi-Mineralfarbe, weiß/white silicate mineral paint					
	When applying only a single coat	0.3 l/m²	15-l tub	Per litre	**6.00**
GUTEX Combi-Mineralfarbe, getönt/tinted silicate mineral paint					
	Other colours are possible, but specific information is required. Universal tinting (luminosity ≥20)				
	When applying only a single coat	0.3 l/m²	15-l tub	Per litre	**8.50**
GUTEX Combi-Mineralfarbe-PV, weiß/white silicate mineral paint					
	An anti-fungal recommended for building sides especially exposed to weather				
	When applying only a single coat	0.3 l/m²	15-l tub	Per litre	**9.55**
GUTEX Combi-Mineralfarbe-PV, getönt/tinted silicate mineral paint					
	Other colours are possible, but specific information is required. Universal tinting (luminosity ≥20)				
	When applying only a single coat	0.3 l/m²	15-l tub	Per litre	**10.05**

2.2 Durio GUTEX system for unique facade design

Suitable GUTEX wood fibre insulation

› GUTEX Thermowall Durio

Durio system components

Product		Dimensions (mm)	Packaging Unit	Sold	Net EUR
GUTEX Durio Winkel/bracket					
	Type 120		10/box	Each	**16.85**
	Type 180		10/box	Each	**16.85**
	Type 240		10/box	Each	**16.85**
GUTEX Durio Sockelabschlussleiste/render stop bead					
	Aluminium	70 x 2500	10 strips/bundle	Each	**8.50**
GUTEX Durio Langschaftdübel/long shank fastener					
		10 x 80	50/box	Each	**0.84**
GUTEX Durio Unterlegscheibe/washers					
	Unterlegscheibe/washer 30	30 x 30	100/box	Each	**0.11**
	Unterlegscheibe/washer 40	40 x 40	50/box	Each	**1.04**
GUTEX Durio Distanzhülse/spacers					
		10 x 0.8 x 5	40 washers/ package	Each	**0.08**
GUTEX Durio Edelstahlschraube/stainless steel screws					
		8 x 100	50 washers/ package	Each	**1.11**

Product		Dimensions (mm)	Packaging Unit	Sold	Net EUR
GUTEX Durio Längswinkel/horizontal bracket					
		105 x 40 x 360	10/box	Each	**10.90**
GUTEX Durio CSA-Schraube/Sheet metal-to-wood screws					
		5 x 50	250/box	Each	**0.19**
GUTEX Durio Gewindestange/screw stud					
		8 x 110	10/box	Each	**0.92**
GUTEX Durio Siebhülse/perforated sleeves					
		12 x 58	50/box	Each	**0.69**
GUTEX Durio Injektionsmörtel/injection adhesive					
	Two-component mortar		360-ml cartridge	Each	**41.85**

GUTEX Durio Schottplatte/partition

Dimensions (cm)		Thick-ness (mm)	Units/ Pal.	m²/ Pal.	Weight kg/Pal.	Sold	Net EUR
62 x 150	Package includes 20 boards	12	10	9.3	30		**4.13**
	Butted joints(all) λ_D (W/mK) = 0.046 (full packages only)						

Durio render components

Product		Required Quantity	Packaging Unit	Sold	Net EUR
GUTEX Durio Silikonharz-Oberputz, weiß/white silicone resin final render					
	Grain 1.5 mm (floating/scraped finish/ rendering)	2.3 kg/m²	25-kg tub	Per kg	**2.51**
	Grain 2.0 mm (floating/scraped finish/ rendering)	3.0 kg/m²	25-kg tub	Per kg	**2.51**
	Grain 3.0 mm (floating/scraped finish/ rendering)	4.3 kg/m²	25-kg tub	Per kg	**2.51**
GUTEX Durio Silikonharz-Oberputz, getönt/tinted silicone resin final render; grain and required quantities same as GUTEX Durio Oberputz, weiß					
	Other colours are possible, but specific information is required. Universal tinting (luminosity ≥20)			Per kg	**3,05**
	If possible				
GUTEX Durio Fassadenfarbe, weiß/white facade paint					
	An anti-fungal recommended for building sides especially exposed to weather				**9.55**
	When applying only a single coat	0.3 l/m²	15-l tub	Per litre	
GUTEX Durio Fassadenfarbe, getönt/tinted facade paint					
	Other colours are possible, but specific information is required. Universal tinting (luminosity ≥20)				
	When applying only a single coat	0.3 l/m²	15-l tub	Per litre	**10.05**

For more GUTEX Durio accessories, please see GUTEX Thermowall ETICS accessories.

2.3 Implio window integration system

Implio P Laibungs- und Keilplatten für Putzfassaden/reveal/jamb and ledge insulation for rendered walls

Product		Thickness (mm)	Depth (mm)	Sold	Net EUR
GUTEX Implio P Laibungsplatte/reveal/jamb insulation					
	White reveal/jamb insulation sized to customer specifications Maximum length is 300 cm	20	Up to 100	Per lm	**20.35**
		20	Up to 150	Per lm	**22.70**
		20	Up to 200	Per lm	**25.00**
		20	Up to 250	Per lm	**27.30**
		20	Up to 300	Per lm	**29.55**
GUTEX Implio P Laibungsplatte/reveal/jamb insulation					
	White reveal/jamb insulation sized (depth and length) to customer specifications Maximum length is 300 cm	30	Up to 100	Per lm	**20.80**
		30	Up to 150	Per lm	**23.30**
		30	Up to 200	Per lm	**26.80**
		30	Up to 250	Per lm	**28.50**
		30	Up to 300	Per lm	**31.00**
GUTEX Implio P Laibungsplatte/reveal/jamb insulation					
	White reveal/jamb insulation sized (depth and length) to customer specifications Maximum length is 300 cm	40	Up to 100	Per lm	**24.35**
		40	Up to 150	Per lm	**27.05**
		40	Up to 200	Per lm	**29.70**
		40	Up to 250	Per lm	**32.35**
		40	Up to 300	Per lm	**35.00**
GUTEX Implio Keilplatte (ledge insulation)					
	White reveal/jamb insulation sized (depth and length) to customer specifications Maximum length is 300 cm	30	Up to 100	Per lm	**21.75**
		30	Up to 150	Per lm	**25.10**
		30	Up to 200	Per lm	**28.50**
		30	Up to 250	Per lm	**30.20**
		30	Up to 300	Per lm	**33.40**
		40	Up to 100	Per lm	**22.25**
		40	Up to 150	Per lm	**25.75**
		40	Up to 200	Per lm	**29.35**
		40	Up to 250	Per lm	**30.30**
		40	Up to 300	Per lm	**34.70**
Back edge with brush-on sealant				Per lm	**5.65**

Consult GUTEX if you require sizes not shown here. To order GUTEX Implio, please use the form on our Web site: www.gutex.de.

Implio P02 Laibungs- und Keilplatten für Putzfassaden/reveal/jamb and ledge insulation for rendered walls

Product		Thickness (mm)	Depth (mm)	Sold	Net EUR
GUTEX Implio P02 Laibungsplatte/reveal/jamb insulation					
	Black reveal/jamb insulation sized to customer specifications Maximum length is 300 cm	20	Up to 100	Per lm	**20.35**
		20	Up to 150	Per lm	**22.70**
		20	Up to 200	Per lm	**25.00**
		20	Up to 250	Per lm	**27.30**
		20	Up to 300	Per lm	**29.55**
GUTEX Implio P02 Laibungsplatte/reveal/jamb insulation					
	Black reveal/jamb insulation sized (depth and length) to customer specifications Maximum length is 300 cm	30	Up to 100	Per lm	**20.80**
		30	Up to 150	Per lm	**23.30**
		30	Up to 200	Per lm	**26.80**
		30	Up to 250	Per lm	**28.50**
		30	Up to 300	Per lm	**31.00**
GUTEX Implio P02 Laibungsplatte/reveal/jamb insulation					
	Black reveal/jamb insulation sized (depth and length) to customer specifications Maximum length is 300 cm	40	Up to 100	Per lm	**24.35**
		40	Up to 150	Per lm	**27.05**
		40	Up to 200	Per lm	**29.70**
		40	Up to 250	Per lm	**32.35**
		40	Up to 300	Per lm	**35.00**
GUTEX Implio P02 Keilplatte/ledge insulation					
	Light grey reveal/jamb insulation sized (depth and length) to customer specifications Maximum length is 300 cm	30	Up to 100	Per lm	**21.75**
		30	Up to 150	Per lm	**25.10**
		30	Up to 200	Per lm	**28.50**
		30	Up to 250	Per lm	**30.20**
		30	Up to 300	Per lm	**33.40**
		40	Up to 100	Per lm	**22.25**
		40	Up to 150	Per lm	**25.75**
		40	Up to 200	Per lm	**29.35**
		40	Up to 250	Per lm	**30.30**
		40	Up to 300	Per lm	**34.70**
Back edge with brush-on sealant				Per lm	**5.65**

Consult GUTEX if you require sizes not shown here. To order GUTEX Implio, please use the form on our Web site: www.gutex.de.
GUTEX Implio P02 black is for rain screens. Channel bead not included. Back-edge seal provided by others.

Implio P und P02 Raffstore-/Rollladenkasten/exterior blinds and roller shutter housings for rendered walls or rainscreens

Product		Sold	Net EUR
GUTEX Implio P Raffstorekasten/exterior blinds housing			
	White	Per lm	**252.30**
GUTEX Implio P02 Raffstorekasten/exterior blinds housing			
	Inside white; black exterior front face	Per lm	**273.50**
GUTEX Implio P Rollladenkasten/roller shutter housing			
	White	Per lm	**271.35**
GUTEX Implio P02 Rollladenkasten/roller shutter housing			
	Inside white; black exterior front face	Per lm	**292.55**
GUTEX Implio Kabeldurchführung/pre-assembled air- and watertight cable pass-through		Each	**20.15**
GUTEX Implio P Raffstorekastenverbinder/exterior blinds housing connectors			
For multi-part exterior blinds housings (total length > 2,500 mm) and Rivestio cladding panels (example: housing length 3,100 mm = 1 connector; housing length 5,200 mm = 2 connectors)		Each	**18.55**

Implio P Sockellaibungsplatte/foundation-level reveal/jamb insulation

Product		Thickness	Maximum Depth (mm)	Sold	Net EUR
Implio P Sockellaibungsplatten/foundation-level reveal/jamb insulation					
	With white lamination, reveal insulation is produced to customer-specified depths and lengths. Maximum length 60 cm. Panel material: XPS	20	100	Per lm	**24.40**
		20	200	Per lm	**30.75**
		20	300	Per lm	**40.30**
		30	100	Per lm	**26.50**
		30	200	Per lm	**33.90**
		30	300	Per lm	**44.50**
		40	100	Per lm	**28.60**
		40	200	Per lm	**36.05**
		40	300	Per lm	**46.65**

Implio P system components

Product			Segments	Sold	Net EUR
GUTEX Implio P Fensterbankdichtband/joint tape					
	With two-segment (perpendicular) peel-off backing	Length 30 m	25/55 mm	Per roll	**130.40**
GUTEX Implio P Fensterbankdichtecke/corner joint tape					
	With two-segment (perpendicular) peel-off backing	10 corners/box	25/55 mm	Each	**4.35**
GUTEX Implio P Fensteranschlussprofil/weatherproofing channel					
	With integral joint tape	All thicknesses	3000	Each	**20.65**

Implio system components

Product			Length (mm)	Sold	Net EUR
GUTEX Auflagenschere/snips					
	Especially suitable to cut weatherproofing channel			Each	**49.05**
GUTEX Implio Dichtkleber, weiß/white caulking					
	Sealant and adhesive		310-ml cartridge	Each	**10.60**
GUTEX Streichdichtung/brush-on sealant					
	Board sides: Approx. 0.8 l/m² Board edges: approx. 2.0 l/m²		2.5-l tub	Each	**60.40**

Implio window ledge parts

Product		Length (mm)	Sold By	Net EUR
GUTEX Implio Bordprofil/ledge cover corner underlay				
	Aluminium Available with silver or white (RAL 9016) finish. (Suitable for Polythal's Fenorm aluminium ledge covers.)	165	Pair	**38.80**
		180	Pair	**39.85**
		195	Pair	**40.60**
		210	Pair	**41.65**
		225	Pair	**44.10**
		240	Pair	**44.75**
		260	Pair	**46.65**
		280	Pair	**47.70**
		300	Pair	**49.10**
		320	Pair	**54.80**
		340	Pair	**56.20**
		360	Pair	**57.15**
Surcharge for non-standard GUTEX RAL colours			Pair	**7.95**
Make-ready charge for non-standard finish. (Net price, not subject to discount)			One-off	**69.00**
GUTEX Implio Kunststoffwinkel/plastic angle				
	WxH 60 x 37 mm; height cuts to required size	2,000	Each	**29.90**
GUTEX Implio Hinterlüftungsprofil/vent channel				
	30 x 7 mm (L x W); 1.2 lm For under-ledge assembly		Each	**6.70**

Implio F Keilplatten mit selbstklebenden Folienüberstand/ledge insulation with dhesive overlapping moisture barrier

Product		Depth (mm)	Thick-ness (mm)	Unit	Sold By	Net EUR
GUTEX Implio F Folienkeilplatte/ledge insulation and moisture barrier						
	With adhesive joint Length 125 cm	Up to 100	30	Per unit	Per lm	**19.50**
		Up to 150	30	Per unit	Per lm	**22.45**
		Up to 200	30	Per unit	Per lm	**25.50**
		Up to 250	30	Per unit	Per lm	**29.20**
		Up to 300	30	Per unit	Per lm	**32.70**
		Up to 350	40	Per unit	Per lm	**36.30**
		Up to 400	40	Per unit	Per lm	**40.20**

Implio F system components

Product		Depth (mm)	Thick-ness (mm)	Unit	Sold	Net EUR
GUTEX Implio F Klebeband/joint tape						
	For sealing	50		30 lm	Per unit	**38.40**
GUTEX Implio F Fensterecke/window corners		**Length (mm)**				
	Window corners are shorter than their nominal depth. Use in a system results in sufficient overlap of the façade corners.	Left side; up to 100 mm		Per unit	Per unit	**4.63**
		Right side; up to 100 mm		Per unit	Per unit	**4.63**
		Left side; up to 150 mm		Per unit	Per unit	**5.34**
		Right side; up to 150 mm		Per unit	Per unit	**5.34**
		Left side; up to 200 mm		Per unit	Per unit	**5.70**
		Right side; up to 200 mm		Per unit	Per unit	**5.70**
		Left side; up to 250 mm		Per unit	Per unit	**5.90**
		Right side; up to 250 mm		Per unit	Per unit	**5.90**
		Left side; up to 300 mm		Per unit	Per unit	**6.00**
		Right side; up to 300 mm		Per unit	Per unit	**6.00**
		Left side; up to 350 mm		Per unit	Per unit	**6.50**
		Right side; up to 350 mm		Per unit	Per unit	**6.50**
		Left side; up to 400 mm		Per unit	Per unit	**7.30**
		Right side; up to 400 mm		Per unit	Per unit	**7.30**

Product		Depth (mm)	Thick-ness (mm)	Unit	Sold	Net EUR
GUTEX Implio F Fassadenecke/wall corner						
	Universal front seal			Per unit	Per unit	**4.80**
GUTEX Implio F Primer						
				1-l tub	Per unit	**14.60**
GUTEX Implio Dichtkleber, weiß/white caulking						
	Adhesive and sealant		310 ml	Cartridge	Per unit	**10.60**

Rivestio System

Product		Depth (mm)	Thick-ness (mm)	Unit	Sold	Net EUR
GUTEX Rivestio Verkleidungsplatte/Cladding panel						
Rivestio Verkleidungsplatte 20		up to 300	20	Per unit	Per lm	**72.10**
	With white lamination front and back, Rivestio panels are produced to customer-specified heights and lengths. Maximum length 300 cm	up to 400	20	Per unit	Per lm	**78.45**
		up to 500	20	Per unit	Per lm	**84.80**
		up to 600	20	Per unit	Per lm	**91.15**
Rivestio Verkleidungsplatte 40		up to 300	40	Per unit	Per lm	**80.55**
	With white lamination front and back, Rivestio panels are produced to customer-specified heights and lengths. Maximum length 300 cm	up to 400	40	Per unit	Per lm	**89.05**
		up to 500	40	Per unit	Per lm	**97.50**
		up to 600	40	Per unit	Per lm	**106.00**
Rivestio Verkleidungsplatte 60		up to 300	60	Per unit	Per lm	**92.20**
	With white lamination front and back, Rivestio panels are produced to customer-specified heights and lengths. Maximum length 300 cm	up to 400	60	Per unit	Per lm	**102.80**
		up to 500	60	Per unit	Per lm	**113.40**
		up to 600	60	Per unit	Per lm	**124.00**

2.4 Exhibition models

Display

Product	Share of cost Net EUR
Dimensions: (W x D x H) 60 x 60 x 185 cm Net weight:150 kg	1,537.00

Acoustic insulation demonstration boxes

Product	Share of cost Net EUR
Dimensions (L x W x H): 96 x 50 x 41 cm Net weight: 24 kg	708.50

Heat insulation demonstration boxes

Product	Share of cost Net EUR
Dimensions (L x W x H): 75 x 25 x 50 cm Net weight: 13 kg	614.80

Durio 3D model

Product	Share of cost Net EUR
Dimensions (L x W x H): 40 x 30 x 49 cm Net price, not subject to discount	206.70

Implio system demonstration boxes

Product	Share of cost Net EUR
Dimensions (L x W x H): 44 x 27.5 x 27 cm Net price, not subject to discount	100.70

Implio 3D model

Product	Share of cost Net EUR
Dimensions (L x W x H): 47 x 23 x 34 cm Net price, not subject to discount	206.70

2.5 Miscellaneous

Accessories – GUTEX Ultratherm, GUTEX Multiplex-top, GUTEX Multitherm and GUTEX Thermosafe-homogen

Product				Sold	Net EUR
GUTEX Klebeband für Anschlüsse/joint tape					
	Primer coat required	15 cm wide	30-m roll	Per roll	**53.65**
GUTEX Voranstrich/primer					
	for GUTEX Klebeband	Required amount: 1 bottle/roll	1 l	Per bottle	**16.60**
GUTEX Sprühprimer/spray primer					
	for GUTEX Klebeband	Required quantity: 3 cans/roll	500 ml/can	6 cans/box	**15.79**
GUTEX Abdichtmasse/caulking					
	(for standard dispensers)	Required quantity: Approx. 30 ml/lm	310 ml	Cartridge	**3.02**
Schneidemesser für Stichsäge/jigsaw blades (Bosch, Elu, Festo.etc.)					
		Up to 60 mm	1 pack (3 blades)	Per pack	**14.65**

Accessories – GUTEX Thermoroom

Product				Sold	Net EUR
Flankendämmkeil, 30 x 125 cm corner insulation wedge					
	Thickness tapers from 30 mm to 5 mm Units pal. 8, weight kg/pal. 8			Per package	**41.87**

Accessories – GUTEX Thermofibre

Product				Sold	Net EUR
GUTEX HF Lochsäge/hole saw					
	With ejector, cuts blow-in holes in softwood board	Ø 106.5 mm		Each	**249.10**

Accessories – GUTEX Thermoflex

Product				Sold	Net EUR
Dämmstoffmesser incl. Schneideschutz/ insulation knife with sheath					
				Each	**41.85**

Accessories – GUTEX Thermsafe-nf

Product				Sold	Net EUR
Verlegeleiste Fichte/joint strips (spruce)					**Per strip**
	7.4 x 200 cm	12 strips/ bundle	Required quantity Approx. 2.7 lm/m²	Required quantity 4 bundles/ pallet	**5.95**

- Prices are net prices and exclude the statutory VAT
- If we have to to break a pallet to meet your quantity requirements, we may charge a surcharge.
- Unfortunately, we are unable to accept the return of plaster, render and accessories.
- Available from a GUTEX dealer
- Consult your sales rep for building site delivery. Delivery sites must accommodate articulating lorries/ tractor trailers.
- GUTEX reserves the right to change product dimensions.
- This price list supercedes all previous GUTEX price lists, rendering them invalid.
- GUTEX is certified in accordance with DIN EN ISO 9001, EMAS III and DIN EN ISO 14001
- Unless otherwise agreed in writing, GUTEX' General Terms apply to all rendering of goods and services.
- GUTEX' General Terms are available at www.gutex.de

Wholesome indoor environment

Ideal acoustic insulation

Insulation in summer

Insulation in winter

Systems deliver greater dependability

Sustainability

Service

Certified quality

All GUTEX products are manufactured from only fir and spruce obtained from the Black Forest using sustainable forestry practices goes – truly the best basis for high quality wood fibre insulation. In addition, the natureplus® certificate indicates the product is biologically safe and manufactured using environmentally safe techniques and practices. It also verifies its suitability and usability for the specified applications.

EMAS

natureplus.org natürlich nachhaltig bauen

EPD

TÜVRheinland CERT ISO 9001

OUR PRODUCT AND SERVICE DESIGNATIONS

Roof Wall Interior

Your source for assistance with GUTEX products:

GUTEX®
NATURALLY MADE FROM WOOD

GUTEX Holzfaserplattenwerk
Gutenburg 5 | 79761 Waldshut-Tiengen | Germany
Phone: + 49 7741 6099-0 | www.gutex.de | info@gutex.de

Knowing you've done the right thing. That's the GUTEX effect.

THE GUTEX EFFECT

All rights reserved. The information provided herein is subject to change. Although all of the information was current at the time of its publication, the publication of superseding information renders the old information invalid. Henselmann GmbH + Co KG is not liable for any damage resulting from error or misprinting. The suitability of the products for applications not specified in this brochure is not guaranteed. Warranty and liability claims are subject to the terms of GUTEX's General Terms of Business.

Updated 12/2021 Acknowledgements - Photo Credits: © GUTEX